

ValidDumps



Try Before You Buy

Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.

Select a vendor... Select an exam...


Your email address [Free Download](#)



What Clients Say About Us

- “The exam is actually not scared. It is quite similar with the on-line test. I feel casual to pass it. The questions are not hard. - Edward
- “Do not treat yourself too hard. Only 2 days to pass the exam by this dumps. you have much time to relax. really good dumps. - Berger
- “I am happy to choose validdumps, it is very useful for my exam. It is worthy it. - Henry


HAPPY CUSTOMERS
51892


DOWNLOADS
68912


TEAM MEMBERS
56892


SHARES
75162

<http://www.validdumps.top>

The valid and reliable exam dumps are the guarantee for your success

Exam : HP0-436

Title : OpenVMS v7 Network
Administration

Vendors : HP

Version : DEMO

NO.1 An OpenVMS system acts as a primary BIND server. Which options statement in the BIND configuration file enables a secondary BIND server to receive a copy of the same database?

- A.transfer-out
- B.query-source
- C.allow-transfer
- D.allow-update

Correct:C

NO.2 Which commands can be used to monitor "unavailable station buffers"? Select TWO.

- A.SDA> SHOW DEV EWA0: /COUNTER
- B.LANCP> SHOW DEV EWA0: /COUNTER
- C.NCL> SHOW ROUTING CIRCUIT EWA-0 COUNTER
- D.LANCP> SHOW LAN /COUNTER
- E.SDA> SHOW LAN /COUNTER

Correct:B E

NO.3 Where would you look to determine what LPR printers are enabled on your system?

- A.SYS\$SPECIFIC:[TCPIP\$LPD]:TCPIP\$PRINTCAP.DAT
- B.SYS\$SYSDEVICE:[TCPIP\$LPD]TCPIP\$PRINTCAP.DAT
- C.SYS\$SYSTEM:QMAN\$MASTER.DAT
- D.The output of TCPIP SHOW SERVICE LPR /FULL

Correct:A

NO.4 What SMTP setting allows sending mail outside of your zone?

- A.General gateway
- B.Zone
- C.Alternate gateway
- D.Substitute domain

Correct:C

NO.5 What do you do to preserve site-specific parameter settings and commands for a specific TCPIP service?

- A.Edit SYS\$SYSTARTUP:TCPIP\$SYSTARTUP.COM
- B.Edit SYS\$SYSTEM:TCPIP\$SYSTARTUP.COM
- C.Create files of the form SYS\$SYSTEM:TCPIP\$service_SYSTARTUP.COM
- D.Create files of the form SYS\$STARTUP:TCPIP\$service_SYSTARTUP.COM

Correct:D

NO.6 What is a similarity between TCPIP Proxy and DECnet Proxy?

- A.use the same Proxy Database
- B.use AUTHORIZE to manage the database
- C.allow remote users to access files
- D.allow remote users anonymous access

Correct:C

NO.7 Which characteristics must be adjusted, when increasing the number of NSP

"Maximum

Transport Connections"? Select TWO.

- A.Maximum Window
- B.Maximum Remote NSAPS
- C.Maximum Receive Buffers
- D.Maximum RJOBLIM
- E.Maximum Network Connections

Correct:B C

NO.8 Which utility configures full/half duplex on EWAO?

- A.MOP
- B.TCPIP
- C.LANCP
- D.NCL

Correct:C

NO.9 Which command connects to a terminal server console with DECnet-Plus?

- A.SET HOST/MOP
- B.SET HOST/LAT
- C.NCP> CONNECT NODE
- D.NCP> CONNECT VIA

Correct:A

NO.10 What driver does SCA use to run cluster traffic on NICs?

- A.SYS\$NIDRIVER.EXE
- B.SYS\$PEDRIVER.EXE
- C.SYS\$EWDRIVER.EXE
- D.SYS\$PADRIVER.EXE

Correct:B

NO.11 Which OpenVMS networking command generated the following output? Proto Recv-Q Send-Q

```
Local Address Foreign Address (state) tcp 0 0 sable.telnet tsc.2097 ESTABLISHED tcp 0 0
sable.telnet tsc.2089 ESTABLISHED tcp 0 0 sable.1612 sable.1035 ESTABLISHED tcp 0 0
sable.1035 sable.1612 ESTABLISHED tcp 0 0 sable.nvcold sable.1034 ESTABLISHED tcp 0
0
```

sable.telnet joe.osn.cxo.d.2889

- A.NETSTAT
- B.NTPTRACE
- C.IFCONFIG
- D.TCPTRACE

Correct:A

NO.12 What purpose does the SNAPSHOT command in NCL serve?

- A.saves counters to a file
- B.monitors DECnet health
- C.saves and displays counters' values
- D.displays and zeroes old counters

Correct:C

NO.13 How do you determine which NIC has cluster traffic running on it?

- A.SHOW CLUSTER /CONTINUOUS
- B.NCL> SHOW PROTOCOLS
- C.SDA> SHOW LAN
- D.SHOW CLUSTER /PORT

Correct:C

NO.14 How do you determine the total number of incoming TCP requests?

- A.TCPIP TRACE
- B.netstat -m
- C.TCPIP SHOW PROTOCOL TCP
- D.TCPIP SHOW TCP

Correct:C

NO.15 What returns the current number of active network connections on a DECnet-Plus system?

- A.NCL> SHOW NSP ALL STATUS NCL> SHOW OSI TRANSPORT ALL STATUS
- B.NCL>SNAPSHOT NODE 0 ALL COUNTERS NCL> SHOW EXECUTIVE CONNECTIONS
- C.MONITOR DECNET/CONNECTIONS
- D.SDA> SHOW CONNECTIONS

Correct:A

NO.16 Which system resource is depleted, as you increase the number of IP users?

- A.PQL_MFILLIM
- B.PQL_MPGFLQUOTA
- C.GBLSECTIONS
- D.NPAGEDYN

Correct:D

NO.17 Which indication from MONITOR SYSTEM shows a need to upgrade from Fast Ethernet to

Gigabit Ethernet?

- A.compute queue with several processes
- B.high hard pagefault rate
- C.very few elements on freelist
- D.high buffered I/O rate

Correct:D

NO.18 After replacing a DECserver, you cannot connect to it using SET HOST/MOP. Using NCL, what needs to be modified?

- A.MOP client address
- B.MOP circuit address
- C.MOP listener address
- D.MOP client node id

Correct:A

NO.19 We have a two-node cluster connected only by a Fast Ethernet switched LAN. Both nodes have locally attached disks. We need to backup the data on both nodes A and B with a tape library on node A. We do not have enough network bandwidth to backup up the data in the time allowed.

Which approach will increase bandwidth and decrease backup time?

- A. Install a GIGAswitch/FDDI between nodes A and B.
- B. Add a Gigabit adapter to each system with a crossover cable.
- C. Install another tape drive in the tape library on node A.
- D. Replace the 10/100 adapter on node A with a Gigabit adapter.

Correct: B

NO.20 Which command is a prerequisite to using sysconfig -q socket?

- A. SYSCONFIG ENABLE
- B. @TCPIP\$DEFINE_COMMANDS
- C. SET PROCESS/PRIVILEGE = ALL
- D. @TCPIP\$DEFINE_SYSCONFIG

Correct: B